



REVISION HISTORY		
REV.	DESCRIPTION	DATE
A	INITIAL RELEASE PER LC1492	2018-05-22
B	REVISED PER LC2114	2019-06-19
C	REVISED PER LC2445	2020-03-23



SPECIFICATIONS

- CERTIFICATIONS: ECE R10
Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test protocols. Unless otherwise Specified, the product certifications referred to herein are predicated Upon the base product model configuration.
- FLASH MODE: 135 ± 15 FLASHES PER MINUTE (DOUBLE FLASH)
- VOLTAGE (NOMINAL): 12/24 VDC
- VOLTAGE (EXTREME): 10 to 36 VDC
- CURRENT (RMS): 1.06A (@ 12 VDC NOMINAL)
- CURRENT (PEAK): 1.85A (@ 12VDC NOMINAL)
- POWER (RMS MAXIMUM): 23W (@ 24 VDC NOMINAL)
- TEMPERATURE RANGE: -20°C (-4°F) TO 50°C (122°F)
- CONNECTION: 18 AWG WIRES
- MOUNTING: 3 BOLT MOUNTING
- BASE MATERIAL: ASA
- LENS MATERIAL: POLYCARBONATE
- PRODUCT WEIGHT: 1.32 LBS (0.6 Kg)

NOTES:
1. DIMENSIONS IN MILLIMETRES [INCHES (FOR REFERENCE)]
2. USE SUB ASSEMBLY (100-EB5010A) FOR MANUFACTURE

PROPRIETARY AND CONFIDENTIAL INFORMATION
THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFETY GROUP AFFILIATES ("ECCO") AND IS ISSUED IN CONFIDENCE TO RECIPIENT FOR ENGINEERING INFORMATION PURPOSES ONLY. THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEREIN MAY NOT BE USED, COPIED, REPRODUCED OR OTHERWISE DISCLOSED IN PART OR IN WHOLE TO THIRD PARTIES OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR ECCO WRITTEN CONSENT. ECCO RESERVES ALL PATENT, COPYRIGHT, TRADEMARK, AND OTHER PROPRIETARY RIGHTS TO THIS DOCUMENT, INCLUDING ALL DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS THEREOF. THIS DRAWING IS SUBJECT TO RECALL BY ECCO AT ANY TIME, AND YOUR POSSESSION AND/OR USE CONSTITUTES ACCEPTANCE OF THESE TERMS. ©2019 ELECTRONIC CONTROLS COMPANY

SCALE 1:2.5		APPROVALS	DATE
CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: B		DRAWN BY: NP	2019-11-26
TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:		CHECKED: CRT	2019-12-02
MILLIMETERS DECIMALS XX. ± 1.0mm XX.X ± 0.5mm	INCHES DECIMALS X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	MECH. ENG. KW	2019-12-09
		ELEC. ENG. MMG	2019-11-28
		TEST ENG. JUP	2019-12-11
		SALES.	
THIRD ANGLE PROJECTION		Electronically Controlled Use Latest Copy	

 ECCO ® www.eccolink.com Americas (800) 635-5900 Europe +44 (0)113 237 5340 Asia Pacific +61 (0)3 63322444	
ECCOLED, BRONZE, 3BOLT, AMB, 12/24V	
CUSTOMER PART NO. EB5010A	PRODUCT SERIES: ECCOLED
SIZE: A4	DWG. NO. EB5010A
SHEET 1 OF 1	Project: LC1492
Date Created: 2018-02-05	REV. C