

REVISION HISTORY				
REV.	DESCRIPTION	DATE		
01	PRELIMINARY RELEASE PER LL0098	2016-12-08		
02	REVISED PER LL0098	2017-04-18		
Α	INITIAL RELEASE PER LL0098	2017-10-18		

4572[15'] CORD W/ DUAL SWITCH LIGHTER ADAPTER

SPECIFICATIONS

 CERTIFICATIONS: ECE R10; AMECA/SAE J845 (JUN 2013) CLASS 1A; YELLOW; CA Title 13 CLASS E; C-Tick; Reg 65 CertE4-TA1-006639; IP6K5

Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

2. FLASH MODE: DOUBLE: 120 ± 5 FLASHES PER MINUTE (R65)

QUAD: 75 ± 5 FLASHES PER MINUTE DOUBLE: 75 ± 5 FLASHES PER MINUTE

3. VOLTAGE (NOMINAL): 12 to 24 VDC

4. VOLTAGE (EXTREME): 9.0 to 32.0 VDC

5. CURRENT (PEAK): 3.8A (@ 12.8 VDC NOMINAL)

6. POWER (MAXIMUM): 48.6W (@ 12.8 VDC NOMINAL)

7. TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)


8. CONNECTION: 15' CORD W/DUAL SWITCH LIGHTER ADAPTER

9. MOUNTING: VACUUM MAGNET (MAX 70 MPH)

10. BASE MATERIAL: POLYCARBONATE

11. LENS MATERIAL: POLYCARBONATE

12. PRODUCT WEIGHT: 3.5 LBS (1.58 Kg)



FGS PRODUCT CHART				
FGS. NO.	COLOR	SAE J845	R65	
5550CA-MAG	CLEAR/AMBER	CLASS 1	CLASS 1	

NOTES:

70 2.7

1. ROHS COMPLIANT

2. DIMENSIONS IN MILLIMETERS[INCHES (FOR REFERENCE)]

268 10.6

NON DISCLOSURE AGREEMENT

THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ESG AND IS ISSUED IN CONFIDENCE FOR ENGINEERINGINFORMATION ONLY. THE DRAWING AND / OR DESIGN MAY NOT BE USED, COPIED, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS OR USED FOR ANY OTHER USE WITHOUT THE PRIOR WRITTEN CONSENT OF ESC. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME. YOUR POSSESSION OF THIS DOCUMENT FIRST DOCUMENT COPTHANCE OF THESE TERMS. @ 2015 ESTERMS. @

SCALE 1:4.5 APPROVALS DATE 2017-04-18 www.eccolink.com CAD GENERATED DRAWING DRAWN BY DO NOT MANUALLY UPDATE. MODEL REFERENCED:A JUP 2017-10-11 CHECKED Americas (800) 635-5900 | Europe +44 (0)113 237 5340 | Asia Pacific +61 (0)3 63322444 MECH. ENG. JGW 2017-04-26 LED MINIBAR,11",12-24V,MAGNET,XX,CLASS I ELEC. ENG X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02 CUSTOMER PART NO. PRODUCT SERIES: TEST ENG FRACTIONS SEE CHART 5500 JSM 2017-05-25 SIZE: DWG. NO. 5550XX-MAG REV. Date Created: 2016-12-08 Electronically Controlled Use Latest Copy SHEET 1 OF 1 Project: LL0098

