


RPC10A05

Electric Vehicle Charging Cable



Electric driving is here!

Our portable EV charger means you can charge your car from a regular household mains socket, no need for a dedicated charge point. The current in the charging box can be switched between 6/10/13A to meet all charging needs. The LCD screen shows charging information, including length of charge and power consumption.




Charge times using Ring Portable EV Chargers

Supply Type Charger Rating	Rated Power	Charge Time*		
		30kWh Battery	60kWh Battery	90kWh Battery
13A	3kWh	10hr	20hr	30hr
10A	2.3kWh	13hr	26hr	39hr

- Suitable with all fully electric & plug in hybrid vehicles
- Hard wearing heavy duty storage case - Store your cables safely and securely
- High quality & durable construction
- Operating temperature -25° C to 45° C
- UK 3 Pin Plug to Type 1 (SAE J1772)
- IK rated – To withstand the toughest conditions
- Hi-Visibility LCD Screen
- Security Protection
- Over-voltage and Under-voltage protection
- Over-current protection
- Over-temperature protection
- Leakage protection
- Short-circuit protection

Specifications

Product Code	RPC10A05
Voltage	240V
Current	6/10/13A
Max Power	3kWh
Overall Length	5000mm
Cable Length	4600mm
Pack Size	310 x 410 x 90mm
Product Weight	2628g
Pack Weight	2860g
Case Quantity	4 x 1
Barcode	5055175249179



Ring Automotive Limited

Gelderd Road, Leeds, LS12 6NA United Kingdom
Telephone +44 (0)113 213 2000 . Fax +44 (0)113 231 0266
Email: autosales@ringautomotive.com . www.ringautomotive.com

[f](#) [t](#) [i](#) [in](#) [m](#) /ringautomotive

OSRAM GmbH

Nonnendammallee 44, 13629 Berlin, Germany
Email: automotive-service@osram.com
www.osram.com

* Charging times are a guide only times may vary

CAT1597